


PLAN VIEW



SECTION A-A

DESIGN DATA & GENERAL NOTES

- [1] Concrete strength $f'c = 4,000$ p.s.i. @ 28 days. Density = 150 pcf.
- [2] Cement - Portland Type I/II per ASTM C 150-92.
- [3] Admixtures & plasticizers per ASTM C 260-86 & C 494-92.
- [4] Reinforcing per ASTM A185. Min. 1-1/2" cover.
- [5] Top slab sealed with butyl rope mastic.
- [6] 4" wall, base, & top thickness.

MBI
Mayer Bros., Inc.

6264 Race Road
Elkridge, Maryland 21075
Tel. 410.796.1434
Fax. 410.796.1438

www.mayerbrosprecast.com

1,000 GALLON PUMP TANK
1-Compartment

Stock Item

Dwg. No. 1000-P

No Scale

Jan 1, 2000